# **Specification Sheet**

# **broxap**°

# Cambridge<sup>™</sup> Hybrid Two Tier Cycle Shelter BXMW/CA/HYB/TWO-TIER



### **Standard Unit Dimensions**

Width: 4200mm

Height: 3129mm (to eaves) Height: 3647mm (to ridge)

## **Length with Capacities**

3600mm 24 cycles 4100mm 36 cycles

5000mm 40 cycles

#### **Features**

Robust modular construction


Load bearing purlins Welded end frames


Made from heavy-duty mild steel circular section Assembled with anti-tamper high strength bolts


Anti-climb end frames

Hot dip galvanized to BS EN ISO 1461:2009

Weather resistant cladding







# **Specification Sheet**



# Cambridge<sup>™</sup> Hybrid Two Tier Cycle Shelter BXMW/CA/HYB/TWO-TIER

#### **Materials Used**

Framework - Mild Steel Cladding - 4 mm PETG uv Fasteners - Zinc Plated Cover Strips - Pre-galvanized steel flat

#### **Finish Options**

Hot-Dip Galvanized to BS EN ISO 1461:2009 Hot-Dip Galvanized & Polyester Powder Coated 60mm-120mm dft Hot-Dip Galvanized with Duplex (Zinc Coated) Powder Coating (coastal) 180-240 overall dft

#### **Weather Resistance**

Cladding is UV Stabilised Wind resistant to 23m/s

#### **Fire Resistance**

Cladding is fire tested to '1Y' for BS 476

## Design-Life, Guarantees & Warranties (terms apply)

25 year structural guarantee

34 year (min) life expectancy for Hot Dip Galvanizing

8-10 year life expectancy on standard powder coatings

10-15 year life expectancy on Duplex (Zinc Coated) powder coatings

10 years manufacturers guarantee on cladding material

10 year warranty on product materials


12 year warranty on parts & labour

NOTE: The Cambridge Junior is Design Registered to Broxap Ltd. and protected by UK Design Registered Laws which prohibit unauthorised copying in any form.


Please Note: All information on this data sheet is subject to orientation (N,S,E,W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information)

#### Installation

Surface fixing on concrete



Submerged Fixing



### **Options**

Steel Profile, Trapezoidal roof cladding
Opal Cladding to Roof
Extended baseplates for
submerged fixing
Powder Coating to a wide
range of colours
LED or solar lighting
Full Installation Service
Varied Range of Cycle Racks
Varied Range of Cycle Stands

### **Colours/Finishes**



THE COLOURS SHOWN ARE A GUIDE ONLY.
PLEASE CHECK A COLOUR CHART TO SEE THE
ACTUAL COLOUR.