

Newcastle Duopitch Entrance Canopy

BXMW/NEWS/DUO-ENT

broxap
shelters & canopies



Standard Unit Dimensions:

Bespoke sizes to suit customer requirements

Colours/Finishes:

Galvanised Only	White Aluminium	Anthracite Grey
BS 4800 10 A 07 Nimbus Grey	Traffic Red	Jet Black
BS 4800 14 C 39 Holly Green	Traffic Yellow	Goose Grey
Mid Blue	Dark Blue	Traffic White

The colours shown are a guide only. Please check a colour chart to see the actual colour.

Product Information

This stylish canopy can be fitted with side panels to create a partially enclosed entrance foyer or with decorative lattice beams where a traditional feel is preferred. The Newcastle Duopitch offers a traditional feel whilst remaining an economical option.

Features

- Multiwall polycarbonate roofing sheets
- Base plate or submerged fixing
- Robust, tough construction
- Hot dipped galvanised to BS EN ISO 1461:2009
- Welded end frames and purlins made from heavy-duty box section assembled with anti-tamper high strength bolts

Materials Used

- Framework - Mild steel
- Cladding - 16mm structured multi-wall polycarbonate
- Fasteners - Zinc plated
- Cover Strips - Aluminium capex

Finish Options

- Galvanised to BS EN ISO 1461:2009
- Galvanised to BS EN ISO 1461:2009 & Polyester Powder Coated

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time. All prices exclude VAT and delivery. Please Note: All information on this data sheet is subject to orientation (N.S.E.W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information).

Newcastle Duopitch Entrance Canopy

BXMW/NEWS/DUO-ENT

broxap
shelters & canopies

Weather Resistance

Cladding is UV Stabilised
Wind resistant to 23m/s

Fire Resistance

Cladding is fire tested to '1Y' for BS 476

Guarantees, Warranties, Design-Life and Life-Expectancies

- 25 year structural guarantee*
- 34 year (min) life expectancy for Hot Dip Galvanizing
- 8-10 year life expectancy on standard powder coatings
- 10-15 year life expectancy on Duplex (Zinc Coated) powder coatings
- 10 years' manufacturers guarantees* on cladding material(s)
- 10 years' warranty* on material (only)
- 12 months' warranty* on parts & labour

**Maintenance and other qualifying criteria apply*







Options

- Side Panels in PETg or Glazed Finish
- Metal profile, trapezoidal roof cladding
- Aluminium Profile Weather Resistant Barriers
- Above the Lighting and Installation Options
- Full installation service

Standard Unit Dimensions:


Bespoke sizes to suit customer requirements

Colours/Finishes:


		
Galvanised Only	White Aluminium	Anthracite Grey
		
Nimbus Grey	Traffic Red	Jet Black
		
Holly Green	Traffic Yellow	Goose Grey
		
Mid Blue	Dark Blue	Traffic White

The colours shown are a guide only.
Please check a colour chart to see the actual colour.

Diagram



Installation



Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time. All prices exclude VAT and delivery. Please Note: All information on this data sheet is subject to orientation (N,S,E,W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information).