








Standard Unit Dimensions:

Length:
9000mm

Width:
3000mm

Height:
5516mm

Framework Colours/Finishes:

 Galvanised Only	 RAL 9006 White Aluminium	 RAL 7016 Anthracite Grey
 BS 4800 10 A 07 Nimbus Grey	 RAL 3020 Traffic Red	 RAL 9005 Jet Black
 BS 4800 14 C 39 Holly Green	 RAL 1023 Traffic Yellow	 BS 4800 00 A 05 Goose Grey
 RAL 5015 Mid Blue	 RAL 5013 Dark Blue	 RAL 9016 Traffic White

The colours shown are a guide only.
Please check a colour chart to see the
actual colour.

Product Information

Rotundas tensile waterproof canopy with galvanized poles and frames.

Features

- Poles and frames hot dip galvanized to BS EN
- ISO 1461:2009
- Powder coated to any standard RAL colour
- 100% waterproof fabric
- 100% UV protection

Materials Used

- 6 No poles/columns
- No Gutter

Finish Options

- Hot dip galvanized to BS EN ISO 1461:2009
- Galvanized to BS EN ISO 1461:2009 & Polyester Powder Coated

Design Standards

- All structures are installed to tolerances in NSSS 7TH addition – Accuracy in Building, by CRB checked, professional installation teams
- EN 1993-1-1:2005 Eurocode 3 – Design of steel structures
- BS EN 1991-1-3:2003 Eurocode 1 – Snow Loads

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



ISO 9001
Quality
Management
Systems
CERTIFIED

ISO 14001
Environmental
Management
CERTIFIED

ISO 45001
Occupational
Health and Safety
Management
CERTIFIED



Rotundas BXTS/GAZ2

Fire Resistance


Fabric conforms to Euro class EN13501-1

Guarantees, Warranties, Design-Life and Life-Expectancies


- 25 year structural guarantee*
- 34 year (min) life expectancy for Hot Dip Galvanizing
- 8-10 year life expectancy on standard powder coatings
- 10-15 year life expectancy on Duplex (Zinc Coated) powder coatings
- 10 years' warranty* Ferrari 832
- 12 months' warranty* on parts & labour

*Maintenance and other qualifying criteria apply

Diagram



Installation



Standard Unit Dimensions:

Length:
9000mm

Width:
3000mm

Height:
5516mm

Framework Colours/Finishes:

	RAL 9006 White Aluminium	RAL 7016 Anthracite Grey
BS 4800 10 A 07 Nimbus Grey	RAL 3020 Traffic Red	RAL 9005 Jet Black
BS 4800 14 C 39 Holly Green	RAL 1023 Traffic Yellow	BS 4800 00 A 05 Goose Grey
RAL 5015 Mid Blue	RAL 5013 Dark Blue	RAL 9016 Traffic White

The colours shown are a guide only.
Please check a colour chart to see the actual colour.

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



ISO 9001
Quality Management Systems
CERTIFIED

ISO 14001
Environmental Management
CERTIFIED

ISO 45001
Occupational Health and Safety Management
CERTIFIED

