# Litchard Timber Shelter Range **BXDB/BSP/LITCH**





#### Standard Unit Dimensions: Bespoke sizes to suit customer requirements

**Softwood Timber:** 



**BUILDER'S** 

PROFILE

# **Product Information**

Utilising one of the most versatile materials in construction we've designed one of the most versatile ranges of shelters and canopies in the Broxap collection.

The Litchard Timber Shelter Range is available in a variety of sizes and different configurations, suited to everything from storage to cycle parking, outdoor dining and learning outside the classroom. Each option is manufactured from high quality timber and can be customised to meet the demands of the application.

### **Features**

•

.

- Softwood or Hardwood Timber
- Baseplated or Submerged fixing
- Robust, tough construction
- Hot dipped galavanized mild steel
- Multi purpose shelter range
- Wide range of options and sizes available

## **Materials Used**

- Treated unstained Softwood Timber to class 4, or Hardwood Timber
- Mild Steel

## **Mild Steel Finish Options**

- Hot dip galvanised to BS EN ISO 1461:2009
- Galvanised to BS EN ISO 1461:2009 & Polyester Powder Coated

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com











rpii

All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time. All prices exclude VAT and delivery. Please Note: All information on this data sheet is subject to orientation (N,S,E,W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information).



## Guarantees, Warranties, Design-Life and Life-Expectancies

- 25 year structural guarantee\*
- 34 year (min) life expectancy for Hot Dip Galvanizing
- 8-10 year life expectancy on standard powder coatings
- 10-15 year life expectancy on Duplex (Zinc Coated) powder coatings
- 10 years' manufacturers guarantees\* on cladding material(s)
- 10 years' warranty\* on material (only)
- 12 months' warranty\* on parts & labour
- 10 year timber guarantee\*

\*Maintenance and other qualifying criteria apply

### **Options**

- Front, Side or Rear Timber Panels
- Swing/Access Gates (Variety of high security locking methods)
- 10mm Toughened Glass roof cladding
- Metal profile, Trapezoidal roof cladding
- Clear, Opal or Bronze Multiwall
- Polycarbonate roof cladding
- Sedum Roof
- **PVC Roll up Blinds**


.

•


- Mild steel powder coating to a wide range of colours
- UPVC or Aluminium Guttering
- LED lighting or solar lighting
- Full installation service

### **Roof Designs**

## Installation & Fixing



- Structural engineer to determine the site-specific foundation requirements and suitable fixing method
- Typical holding down anchors: M12 bolts



Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com









Smas



rpii



t form any part of the contract. All prices are guide prices only and should be used for estimating pu All information on this data sheet is subject to orientation (N,S,E,W) altitude and proximity to building nensions are in millimeters, weights in kilograms and capacities in litres, are app specification or price of any item sold at any time. All prices exclude VAT and de ourposes only. Broxap Limited reserve the right to change the design, ngs, but is sufficient for use as general/preliminary information).

**Standard Unit Dimensions:** Bespoke sizes to suit customer requirements

imber Shelters Specification Shee

### **Softwood Timber:**





# Litchard Timber Shelter Range **BXDB/BSP/LITCH**



Design - A

**Design - B** 



Design - C



**Design - D** 

Standard Unit Dimensions: Bespoke sizes to suit customer requirements

#### Softwood Timber:



Hardwood Timber

#### **Steel Colours/Finishes:**

	RAL 9006	RAL 7016
Galvanised Only	White Aluminium	Anthracite Grey
BS 4800 10 A 07	RAL 3020	RAL 9005
Nimbus Grey	Traffic Red	Jet Black
BS 4800	BAL 1023	BS 4800
14 C 39		00 A 05
Holly Green	Traffic Yellow	Goose Grey
BAL 5015	RAL 5013	RAL 9016
11/12/0010	10/12/00/10	10120010
Mid Blue	Dark Blue	Traffic White
The colours shown are a guide only. Please check a colour chart to see the actual colour.		



Design - E



Design - F





Design - G

Cor

**Design - H** 

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com















3

All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time. All prices exclude VAT and delivery. Please Note: All information on this data sheet is subject to orientation (N,S,E,W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information).



# Litchard Timber Shelter Range **BXDB/BSP/LITCH**





**Design - I** 

Design - J



**Design-K** 

**Design - L** 

Standard Unit Dimensions: Bespoke sizes to suit customer requirements

Softwood Timber:

Hardwood Timber:

Steel Colours/Finishes:

	RAL 9006	RAL 7016	
Galvanised Only	White Aluminium	Anthracite Grey	
BS 4800 10 A 07	RAL 3020	RAL 9005	
Nimbus Grey	Traffic Red	Jet Black	
BS 4800	RAL 1023	BS 4800	
14 C 39		00 A 05	
Holly Green	Traffic Yellow	Goose Grey	
RAL 5015	RAL 5013	RAL 9016	
Mid Blue	Dark Blue	Traffic White	
The colours shown are a guide only. Please check a colour chart to see the actual colour.			



**Design-M** 



**Design - N** 



**Design - O** 

Const

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com











-





rpii

All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time. All prices exclude VAT and delivery. Please Note: All information on this data sheet is subject to orientation (N,S,E,W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information).

Standard Unit Dimensions: Bespoke sizes to suit customer requirements

**Softwood Timber:** 

**Hardwood Timber:** 

**Steel Colours/Finishes:** 

RAL 9006

White Aluminium

RAL 3020

Traffic Red

RAL 1023

Traffic Yellow

RAL 5013

Dark Blue

The colours shown are a guide only. Please check a colour chart to see the actual colour.

Galvanised Only

10 A 07 Nimbus Grey

14 C 39

Holly Gree

Mid Blue

RAL 7016 Anthracite Grey

RAL 9005

Jet Black

00 A 05

Goose Grey

RAL 9016

Traffic White

# Litchard Timber Shelter Range **BXDB/BSP/LITCH**





**Design - P** 



**Design - Q** 



**Design - R** 



**Design - S** 



**Design - T** 





**Design-U** 

Design - V

**Design-W** 

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



bi SO 9001 Southy Souther 



Constructionline

CHAS



-



rpii



5

All dimensions are in millimeters, weights in kilograms and capacities in litres, are approximate and do not form any part of the contract. All prices are guide prices only and should be used for estimating purposes only. Broxap Limited reserve the right to change the design, specification or price of any item sold at any time. All prices exclude VAT and delivery. Please Note: All information on this data sheet is subject to orientation (NSE,W) altitude and proximity to buildings, but is sufficient for use as general/preliminary information).