



## Standard Unit Dimensions:

Bespoke size options

## Colours/Finishes:

Galvanised Only	RAL 9006 White Aluminium	RAL 7016 Anthracite Grey
BS 4800 10 A 07 Nimbus Grey	RAL 3020 Traffic Red	RAL 9005 Jet Black
BS 4800 14 C 39 Holly Green	RAL 1023 Traffic Yellow	BS 4800 00 A 05 Goose Grey
RAL 5015 Mid Blue	RAL 5013 Dark Blue	RAL 9016 Traffic White

The colours shown are a guide only.  
Please check a colour chart to see the actual colour.

## Product Information

A combination of our three most popular shelters, this cycle compound combines the Wardale, Littleborough & Newcastle Cycle Shelters. The Newcastle Cycle Compound is a modular compound that has a centre access point and parking to the left and right within the compound. It is a combination of the Wardale, Littleborough and Newcastle shelters which creates a large covered and secure cycle parking solution.

## Features

- This combination of Wardale™, Littleborough and Newcastle shelters can cover a large expanse of area and give a tremendous amount of space to the parking of cycles.
- The curved profiles of the roofing sections lend themselves to contemporary and semi-rural environments.
- By adding Littleborough intermediate frames within the compound more space for the user is created.
- Can contribute towards gaining ENE8 credits when used in the appropriate situation, under the Code for Sustainable Homes.
- BREEAM and Code for Sustainable Homes Compliant.

## Materials Used

- Framework - Mild Steel
- Cladding - 4 mm PETG uv
- Fasteners - Zinc Plated
- Cover Strips - Pre-galvanized steel flat

## Finish Options (Framework)

- Galvanised to BS EN ISO 1461:2009
- Galvanised to BS EN ISO 1461:2009 & Polyester Powder Coated

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



## Weather Resistance

Cladding is UV Stabilised  
Wind resistant to 23m/s

## Fire Resistance

Cladding is fire tested to EN ISO 11925-2

## Guarantees, Warranties, Design-Life and Life-Expectancies


- 25 year structural guarantee\*
- 34 year (min) life expectancy for Hot Dip Galvanizing
- 8-10 year life expectancy on standard powder coatings
- 10-15 year life expectancy on Duplex (Zinc Coated) powder coatings
- 10 years' manufacturers guarantees\* on cladding material(s)
- 10 years' warranty\* on material (only)
- 12 months' warranty\* on parts & labour

\*Maintenance and other qualifying criteria apply

## Options


- Opposing two shelters creates a versatile and attractive shelter and by adding roof panels, lockable gates and panels the shelter can be made totally secure.
- The introduction of the Newcastle Senior in the centre completes this magnificent structure which has lockable gates to the front and high security panels to the rear for added protection.

## Diagram



Please note: these details are specific to a bespoke project and are subject to change according to the requirements of each individual order.

## Installation



### Standard Unit Dimensions:

Bespoke size options

### Colours/Finishes:

Galvanised Only	RAL 9006 White Aluminium	RAL 7016 Anthracite Grey
BS 4800 10 A 07 Nimbus Grey	RAL 3020 Traffic Red	RAL 9005 Jet Black
BS 4800 14 C 39 Holly Green	RAL 1023 Traffic Yellow	BS 4800 00 A 05 Goose Grey
RAL 5015 Mid Blue	RAL 5013 Dark Blue	RAL 9016 Traffic White

The colours shown are a guide only.  
Please check a colour chart to see the actual colour.

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com

